

Hospital Stays for Harm Caused by Substance Use

Appendices to Indicator Library

December 2022



Production of this document is made possible by financial contributions from Health Canada and provincial and territorial governments. The views expressed herein do not necessarily represent the views of Health Canada or any provincial or territorial government.

Unless otherwise indicated, this product uses data provided by Canada's provinces and territories.

All rights reserved.

DSM-5

Reprinted with permission from the *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition* ®. © 2013 American Psychiatric Association. All rights reserved.

Unless authorized in writing by the APA, no part may be reproduced or used in a manner inconsistent with the APA's copyright. This prohibition applies to unauthorized uses or reproductions in any form.

The American Psychiatric Association is not affiliated with and is not endorsing this product.

ICD-10-CA

ICD-10-CA is based upon the *International Statistical Classification of Diseases* and Related Health Problems, Tenth Revision (ICD-10).

© World Health Organization 1992. All rights reserved.

The Canadian version, ICD-10-CA, was modified by permission for Canadian government purposes.

ICD-10-CA is the property of the Canadian Institute for Health Information. \circledast 2001–2022 Canadian Institute for Health Information

© 2022 Canadian Institute for Health Information

How to cite this document: Canadian Institute for Health Information. *Hospital Stays for Harm Caused by Substance Use* — *Appendices to Indicator Library, December 2022.* Ottawa, ON: CIHI; 2022.

Cette publication est aussi disponible en français sous le titre Séjours à l'hôpital en raison de méfaits causés par l'utilisation de substances — annexes du Répertoire des indicateurs, décembre 2022.

Table of contents

Appendix 1: Diagnosis codes used to identify substances	ŀ
Appendix 2: Diagnosis codes used to identify harm from alcohol use — Conditions partially	
attributable to alcohol (or partial alcohol-attributable fraction codes)	3

Appendix 1: Diagnosis codes used to identify substances

Category	Mental and behavioural disorders ICD-10-CA codes	Poisoning ICD-10-CA codes	Medical condition and external cause ICD-10-CA codes	DSM-5 (ICD-9-CM) codes	DSM-5 (ICD-10-CM) codes
Alcohol*	F10	T51	E24.4, G31.2, G62.1, G72.1, I42.6, K29.2, K70.–, K85.2, K86.0, O35.4–, O99.3– [†] , Q86.0, R78.0, X45, X65, Y15	291.0, 291.1, 291.2, 291.81, 291.82, 291.89, 291.9, 303.00 [§] , 303.90 [§] , 305.00 [§]	F10
Opioids	F11.–	T40.0, T40.1, T40.2–, T40.3, T40.4–, T40.6	O99.3- [†]	304.00 [§] , 305.50 [§]	F11.–
Cannabis	F12.–	T40.7	O99.3–†	304.30 [§] , 305.20 [§]	F12.–
Other CNS depressants	F13.–	T42.3, T42.4, T42.6, T42.7	O99.3-†	304.10 [§] , 305.40 [§]	F13.–
Cocaine	F14.–	T40.5	O99.3-†	304.20 [§] , 305.60 [§]	F14.–
Other CNS stimulants	F15.–	T43.6	O99.3-†	304.40 [§] , 305.70 [§]	F15.–
Unknown and multiple substances	F19.–	T43.8, T43.9	O99.3- [†] , X41, X42, X61, X62, Y11, Y12 [‡]	-	F16**, F19
Other substances					
Hallucinogens	F16.–	T40.8, T40.9	O99.3-†	304.50 [§] , 305.30 [§]	_
Solvents	F18.–	—	O99.3–†	—	F18.—
Abuse of non-dependence- producing substances	F55	_	-	-	_

Category	Mental and behavioural disorders ICD-10-CA codes	Poisoning ICD-10-CA codes	Medical condition and external cause ICD-10-CA codes	DSM-5 (ICD-9-CM) codes	DSM-5 (ICD-10-CM) codes
For Ontario Mental Health Reporting System records, contributes toward a specific substance if relevant ICD-10-CA codes are found in the National Ambulatory Care Reporting System, or toward the Unknown and multiple substances category if no relevant code is found				292.0, 292.81, 292.82, 292.84, 292.85, 292.89, 292.9, 304.60 [§] , 304.90 [§] , 305.90 [§]	

Notes

* See Appendix 2 for additional ICD-10-CA codes for Quebec.

† Include only if F10–16 or F18–19 as diagnosis type (3) is in the same abstract.

Include X41, X61 and Y11 if neither T42.- nor T43.- are in the same abstract; include X42, X62 and Y12 if T40.- is not in the same abstract

- § Accommodate systems that drop trailing zeros in the fifth position.
- ** This code maps to more than one substance category in the DSM-5 (ICD-10-CM) system.

- Not applicable.

Appendix 2: Diagnosis codes used to identify harm from alcohol use — Conditions partially attributable to alcohol (or partial alcoholattributable fraction codes)*

ICD-10-CA codes

Description	ICD-10-CA codes
Tuberculosis	A15–A19, B90.–
Oropharyngeal cancer/oral cancer	C00–C14
Oesophageal cancer	C15
Colon and/or rectal cancer	C18–C21
Liver cancer	C22
Laryngeal cancer	C32
Breast cancer	C50
Diabetes mellitus	E10-E14
Epilepsy	G40–G41
Hypertensive disease/hypertension	110–115
Ischaemic heart disease	120–125
Cardiac arrhythmias	147–149
Cerebrovascular disease	160–169
Influenza and pneumonia, lower respiratory tract infections	J09–J18, J20–J22, J85.–
Cirrhosis of the liver	K74
Acute and chronic pancreatitis	K85.– (excluding K85.2), K86.1
Transport accidents	V01–V99, Y85
Falls	W00–W19
Accidental drowning	W65–W74
Exposure to smoke, fire and flames	X00–X09
Accidental poisonings	X40–X49 (excluding X45)
Intentional self-harm	X60–X84 (excluding X65), Y87.0
Homicidal poisoning and injuries inflicted by another person	X85–X90, X91–Y09, Y87.1
Legal intervention causing injury	Y35
Other external causes of injury, poisoning or adverse effects	W20–W64, W75–W99, X10–X39, X50–X59, Y40–Y59, Y60–Y69, Y70–Y82, Y83–Y84, Y86, Y88, Y89

Note

^{*} Applicable in Quebec only. Due to differences in data collection, this list is used to select numerator cases in Quebec.



CIHI Ottawa

495 Richmond Road Suite 600 Ottawa, Ont. K2A 4H6 **613-241-7860**

CIHI Toronto

4110 Yonge Street Suite 300 Toronto, Ont. M2P 2B7

416-481-2002

CIHI Victoria

880 Douglas Street Suite 600 Victoria, B.C. V8W 2B7 **250-220-4100**

CIHI Montréal

1010 Sherbrooke Street West Suite 602 Montréal, Que. H3A 2R7

514-842-2226



