



Hospitalizations Entirely Caused by Alcohol

Appendices to Indicator Library

December 2022



Canadian Institute
for Health Information

Institut canadien
d'information sur la santé

Production of this document is made possible by financial contributions from Health Canada and provincial and territorial governments. The views expressed herein do not necessarily represent the views of Health Canada or any provincial or territorial government.

Unless otherwise indicated, this product uses data provided by Canada's provinces and territories.

All rights reserved.

DMS-5

Reprinted with permission from the *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition* ©. © 2013 American Psychiatric Association. All rights reserved.

Unless authorized in writing by the APA, no part may be reproduced or used in a manner inconsistent with the APA's copyright. This prohibition applies to unauthorized uses or reproductions in any form.

The American Psychiatric Association is not affiliated with and is not endorsing this product.

ICD-10-CA

ICD-10-CA is based upon the *International Statistical Classification of Diseases and Related Health Problems, Tenth Revision* (ICD-10).

© World Health Organization 1992. All rights reserved.

The Canadian version, ICD-10-CA, was modified by permission for Canadian government purposes.

ICD-10-CA is the property of the Canadian Institute for Health Information.

© 2001–2022 Canadian Institute for Health Information

© 2022 Canadian Institute for Health Information

How to cite this document:

Canadian Institute for Health Information. Hospitalizations Entirely Caused by Alcohol — Appendices to Indicator Library, December 2022. Ottawa, ON: CIHI; 2022.

Cette publication est aussi disponible en français sous le titre *Hospitalisations entièrement attribuables à l'alcool — annexes du Répertoire des indicateurs, décembre 2022.*

Table of contents

Appendix 1: Diagnosis codes used to identify conditions 100% attributable to alcohol (or 100% alcohol-attributable fraction codes)	4
Appendix 2: Diagnosis codes used to identify conditions partially attributable to alcohol (or partial alcohol-attributable fraction codes)	5

Appendix 1: Diagnosis codes used to identify conditions 100% attributable to alcohol (or 100% alcohol-attributable fraction codes)

Category	Mental and behavioural disorders ICD-10-CA codes	Poisoning ICD-10-CA codes	Medical condition and external cause ICD-10-CA codes	DSM-IV-TR codes	DSM-5 (ICD-9-CM) codes	DSM-5 (ICD-10-CM) codes
Alcohol*	F10.–	T51.–	E24.4, G31.2, G62.1, G72.1, I42.6, K29.2, K70.–, K85.2, K86.0, O35.4–, O99.3–†, Q86.0, R78.0, X45, X65, Y15	291.0, 291.1, 291.2, 291.3, 291.5, 291.81, 291.82, 291.89, 291.9, 303.00‡, 303.90‡, 303.90‡, 305.00‡	291.0, 291.1, 291.2, 291.81, 291.82, 291.89, 291.9, 303.00‡, 303.90‡, 305.00‡	F10.–

Notes

* See Appendix 2 for additional ICD-10-CA codes for Quebec.

† Include only if F10 as diagnosis type (3) is in the same abstract.

‡ Accommodate systems that drop trailing zeros in the fifth position.

Appendix 2: Diagnosis codes used to identify conditions partially attributable to alcohol (or partial alcohol-attributable fraction codes)*

ICD-10-CA codes

Description	ICD-10-CA codes
Tuberculosis	A15–A19, B90.–
Oropharyngeal cancer/oral cancer	C00–C14
Oesophageal cancer	C15.–
Colon and/or rectal cancer	C18–C21
Liver cancer	C22.–
Laryngeal cancer	C32.–
Breast cancer	C50.–
Diabetes mellitus	E10–E14
Epilepsy	G40–G41
Hypertensive disease/hypertension	I10–I15
Ischaemic heart disease	I20–I25
Cardiac arrhythmias	I47–I49
Cerebrovascular disease	I60–I69
Influenza and pneumonia, lower respiratory tract infections	J09–J18, J20–J22, J85.–
Cirrhosis of the liver	K74.–
Acute and chronic pancreatitis	K85.– (excluding K85.2), K86.1
Transport accidents	V01–V99, Y85.–
Falls	W00–W19
Accidental drowning	W65–W74
Exposure to smoke, fire and flames	X00–X09
Accidental poisonings	X40–X49 (excluding X45)
Intentional self-harm	X60–X84 (excluding X65), Y87.0
Homicidal poisoning and injuries inflicted by another person	X85–X90, X91–Y09, Y87.1
Legal intervention causing injury	Y35
Other external causes of injury, poisoning or adverse effects	W20–W64, W75–W99, X10–X39, X50–X59, Y40–Y59, Y60–Y69, Y70–Y82, Y83–Y84, Y86, Y88, Y89

Note

* Applicable in Quebec only. Due to differences in data collection, this list is used to select numerator cases in Quebec.



CIHI Ottawa

495 Richmond Road
Suite 600
Ottawa, Ont.
K2A 4H6
613-241-7860

CIHI Toronto

4110 Yonge Street
Suite 300
Toronto, Ont.
M2P 2B7
416-481-2002

CIHI Victoria

880 Douglas Street
Suite 600
Victoria, B.C.
V8W 2B7
250-220-4100

CIHI Montréal

1010 Sherbrooke Street West
Suite 602
Montréal, Que.
H3A 2R7
514-842-2226

cihi.ca

22560-1022

