

Errata for v2015 ICD-10-CA/CCI With CIHI Publish Shadow Files

CIHI is pleased to distribute the French and English CIHI Publish Shadow Files for the v2015 ICD-10-CA/CCI classifications. These CIHI Publish Shadow Files have CIHI notes showing the errata in the classifications that have been identified since the classifications were posted on the Classifications and Coding web page in February 2015.

A complete list of the errata is included in this bulletin. [v2015 CIHI Publish Shadow Files](#) can be found on the Classifications and Coding web page. Also on this page is the document *Merging and Using the v2015 CIHI Publish Shadow Files*, which has instructions on how to merge the shadow files with your v2015 classifications.

Please note that you do not need to create new shadow files for the 2015 classifications. The v2015 ICD-10-CA/CCI classifications are ready for you to insert notes, bookmarks and highlights. To use this feature, do not open the v2015 Infobases from your Start menu. Open the classification with the word “Shadow. “

Errata: v2015 CIHI Publish Shadow Files, October 2015

CCI v2015 English CIHI Publish Shadow File v 1.0

1.	<p>1.YM.87.^.^ : Modify intervention number in two codes of last row in table</p> <p>Replace the two codes in last row of table: 1.YM.88.LA-XX-E <u>1.YM.87.LA-XX-E</u> 1.YM.88.UT-XX-E <u>1.YM.87.UT-XX-E</u></p>
2.	<p>Bypass: Add additional lead terms in "see also"</p> <p>Add additional lead terms in "see also": Bypass (see also <u>Diversion</u>, Graft, <u>Shunt, by site</u>)</p>
3.	<p>Construction: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Construction (see also Excision, by site, with reconstruction, <u>Reconstruction, by site</u>)</p>
4.	<p>Correction: At subterm, add additional lead term in "see also"</p> <p>Add additional lead term in "see also": - fistula (see Closure of fistula, by site, <u>Repair of fistula, by site</u>)</p>
5.	<p>Cryotherapy: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Cryotherapy (see <u>Destruction</u>, Hypothermy, by site)</p>
6.	<p>Diathermy: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Diathermy (see <u>Destruction</u>, Hyperthermy)</p>
7.	<p>Examination: At subterm, add additional lead term in "see also"</p> <p>Add additional lead term in "see also": -physical (for diagnostic purposes) (see <u>Assessment</u>, Consultation, by type)</p>
8.	<p>Fabrication: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Fabrication (see also <u>Construction</u>, Reconstruction, by site)</p>

October 2015

CCI v2015 English CIHI Publish Shadow File v 1.0

9.	<p>Fistulectomy: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Fistulectomy (see also Closure, Repair, fistula, by site)</p>
10.	<p>Flap: Add additional lead terms in "see also"</p> <p>Add additional lead terms in "see also": Flap (see Excision, Procurement, Repair, by site)</p>
11.	<p>Graft: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Graft (see also Excision, Repair, by site)</p>
12.	<p>Instruction: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Instruction (see also Education, Training)</p>
13.	<p>Panniculectomy: Modify rubric at subterm</p> <p>Replace rubric at subterm: – repair of abdominal muscles 1.YS.80.^^ <u>1.SY.80.^^</u></p>
14.	<p>Physical: At subterm, add additional lead term in "see also"</p> <p>Add additional lead term in "see also": - examination (for diagnostic purposes) (see Assessment, Consultation, by type)</p>
15.	<p>Plastic Repair: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Plastic repair (see Excision, Repair, by site)</p>
16.	<p>Reconstruction: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Reconstruction (see also Construction, Excision, by site, with reconstruction)</p>
17.	<p>Reinsertion, device: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also": Reinsertion, device (see Implantation, Insertion of device, by site)</p>

CCI v2015 English CIHI Publish Shadow File v 1.0

18.	<p>Removal: At subterm, add additional lead terms in "see also"</p> <p>Add additional lead terms in "see also":</p> <ul style="list-style-type: none"> - device, internally implanted (inserted) - - vulva (with or without perineum) 1.RW.55.^^ - - with concomitant replacement of device (see <u>Application</u>, Immobilization, <u>Implantation, by site</u>)
19.	<p>Teaching: Add additional lead terms in "see also"</p> <p>Add additional lead terms in "see also":</p> <p>Teaching (see also <u>Education</u>, Instruction, <u>Training</u>)</p>
20.	<p>Training: Add additional lead term in "see also"</p> <p>Add additional lead term in "see also":</p> <p>Training (see also <u>Education</u>, Instruction)</p>

ICD-10-CA v2015 English CIHI Publish Shadow File v 1.0

1.	<p>L98.7: Correct spelling in title</p> <p>Correct spelling:</p> <p>Excessive and redun<u>d</u>ant skin and subcutaneous tissue</p>
----	---