



Model Specifications for Clinical Indicators



Canadian Institute
for Health Information

Institut canadien
d'information sur la santé

Production of this document is made possible by financial contributions from Health Canada and provincial and territorial governments. The views expressed herein do not necessarily represent the views of Health Canada or any provincial or territorial government.

Unless otherwise indicated, this product uses data provided by Canada's provinces and territories.

All rights reserved.

The contents of this publication may be reproduced unaltered, in whole or in part and by any means, solely for non-commercial purposes, provided that the Canadian Institute for Health Information is properly and fully acknowledged as the copyright owner. Any reproduction or use of this publication or its contents for any commercial purpose requires the prior written authorization of the Canadian Institute for Health Information. Reproduction or use that suggests endorsement by, or affiliation with, the Canadian Institute for Health Information is prohibited.

For permission or information, please contact CIHI:

Canadian Institute for Health Information
495 Richmond Road, Suite 600
Ottawa, Ontario K2A 4H6
Phone: 613-241-7860
Fax: 613-241-8120
cihi.ca
copyright@cihi.ca

978-1-77479-286-5 (PDF)

© 2024 Canadian Institute for Health Information

How to cite this document:

Canadian Institute for Health Information. *Model Specifications for Clinical Indicators*. Ottawa, ON: CIHI; 2024.

Cette publication est aussi disponible en français sous le titre *Spécifications du modèle des indicateurs cliniques*.

978-1-77479-287-2 (PDF)

Table of contents

Model Specifications for Clinical Indicators	4
1 Hip Fracture Surgery Within 48 Hours	4
2 Medical Patients Readmitted to Hospital	5
3 Surgical Patients Readmitted to Hospital	7
4 Pediatric Patients Readmitted to Hospital	9
5 Obstetric Patients Readmitted to Hospital	12
6 Hospital Deaths Following Major Surgery.	12
7 In-Hospital Sepsis	14
8 Obstetric Trauma (With Instrument)	15
9 Obstetric Trauma: Vaginal Delivery Without Instrument	16
10 Low-Risk Caesarean Sections	17
11 Repeat Hospital Stays for Mental Health and Substance Use	17
12 30-Day Readmission for Mental Health and Substance Use	18
13 30-Day Acute Myocardial Infarction (AMI) In-Hospital Mortality	20
14 30-Day Stroke In-Hospital Mortality	21
15 30-Day Acute Myocardial Infarction Readmission	22
16 High Users of Hospital Beds.	23
17 Frequent Emergency Room Visits for Help With Mental Health and Substance Use.	23
18 New Long-Term Care Residents Who Potentially Could Have Been Cared for at Home	24
19 Caregiver Distress	24

Model Specifications for Clinical Indicators

Please note that all coefficients were developed based on 3 years of pooled data (2018–2019 to 2020–2021) unless otherwise specified. Please email hsp@cihi.ca if further details are required.

1 Hip Fracture Surgery Within 48 Hours

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes	Qualifier
Intercept	2.145571158	<0.0001	—	—
Sex (male = 1, female = 0)	-0.174764157	<0.0001	—	—
Heart failure or pulmonary edema	-0.863446052	<0.0001	I50, J81	Type (1) or [(W), (X) or (Y) but not (2)]
Chronic obstructive pulmonary disease	-0.648834122	<0.0001	J41, J42, J43, J44, J47	Type (1) or [(W), (X) or (Y) but not (2)]
Ischemic heart disease (acute)	-1.316500882	<0.0001	I20, I21, I22, I24,	Type (1) or [(W), (X) or (Y) but not (2)]
Cardiac dysrhythmias	-0.806050998	<0.0001	I47, I48, I49	Type (1) or [(W), (X) or (Y) but not (2)]
Ischemic heart disease (chronic)	-0.261666277	0.0657	I25	Type (1) or [(W), (X) or (Y) but not (2)]
Hypertension	-0.241735328	<0.0001	I10, I11, I12, I13, I15	Type (1) or [(W), (X) or (Y) but not (2)]
Diabetes with complications	-0.38458406	<0.0001	E10.0–E10.7, E11.0–E11.7, E13.0–E13.7, E14.0–E14.7	Type (1), (3) or [(W), (X) or (Y) but not (2)]
Age 18 to 54 (vs. 65 to 74)	0.565735562	<0.0001	—	—
Age 55 to 64 (vs. 65 to 74)	0.119464709	0.0186	—	—
Age 75 to 84 (vs. 65 to 74)	-0.065442241	0.0568	—	—
Age 85 to 94 (vs. 65 to 74)	-0.154618509	<0.0001	—	—
Age 95 and older (vs. 65 to 74)	-0.122593831	0.0156	—	—
COVID-19	-0.671170442	0.0003	U071, U072	Type (M), (1), (C), (2), (W), (X) or (Y)

Note

— Not applicable.

2 Medical Patients Readmitted to Hospital

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
Intercept	-2.966784628	<.0001
Age 45 to 64 (vs. 18 to 44)	0.038004878	<.0001
Age 65 to 84 (vs. 18 to 44)	0.067023859	<.0001
Age 85 and older (vs. 18 to 44)	0.061790966	<.0001
Male (vs. female)	0.038200694	<.0001
Urgent admission	0.540800594	<.0001
1 acute care hospitalization in previous 6 months (vs. none)	0.524812976	<.0001
2 or more acute care hospitalizations in previous 6 months (vs. none)	1.163188816	<.0001
Charlson score group 1* (vs. 0)	0.247093788	<.0001
Charlson score group 2* (vs. 0)	0.398744934	<.0001
COVID-19	-0.088599671	0.0207
CMG 026	-0.458941047	<.0001
CMG 040	-0.205303572	<.0001
CMG 042	0.615552677	<.0001
CMG 130	0.327051485	<.0001
CMG 132	0.444512988	<.0001
CMG 133	-0.100433487	0.0174
CMG 135	0.297071628	<.0001
CMG 136	0.059410296	0.0174
CMG 138	0.067699659	<.0001
CMG 139	0.464686098	<.0001
CMG 142	0.259867159	<.0001
CMG 143	0.493376617	<.0001
CMG 149	0.229260946	<.0001
CMG 193	-0.142937063	<.0001
CMG 194	0.321124297	<.0001
CMG 196	0.377376319	<.0001
CMG 200	-0.146501225	<.0001
CMG 202	0.129639473	<.0001
CMG 204	0.095497864	0.0002
CMG 205	-0.278903401	<.0001
CMG 208	-0.335511812	<.0001
CMG 209	0.074101217	<.0001
CMG 213	0.108360215	<.0001
CMG 248	0.22129338	<.0001
CMG 249	0.045054731	0.0003

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
CMG 250	0.465920644	<.0001
CMG 253	0.287399955	<.0001
CMG 254	0.116200583	<.0001
CMG 255	0.231762499	<.0001
CMG 256	0.156359232	<.0001
CMG 257	0.338993259	<.0001
CMG 258	0.286363761	<.0001
CMG 284	0.540837152	<.0001
CMG 285	0.836222222	<.0001
CMG 287	0.215008212	<.0001
CMG 288	0.395395693	<.0001
CMG 359	0.436694861	<.0001
CMG 360	0.131971271	<.0001
CMG 364	0.160557211	<.0001
CMG 405	0.211310769	<.0001
CMG 436	0.229882004	<.0001
CMG 437	0.197572854	<.0001
CMG 477	0.30099477	<.0001
CMG 484	0.223211728	<.0001
CMG 487	0.101564286	<.0001
CMG 488	-0.152884215	<.0001
CMG 628	0.760256977	<.0001
CMG 633	0.222137709	<.0001
CMG 635	0.287539302	<.0001
CMG 638	-0.137610795	<.0001
CMG 654	0.196724202	<.0001
CMG 660	0.276726459	<.0001
CMG 662	0.172390356	<.0001
CMG 765	-0.062744887	0.0189
CMG 776	-0.104489552	<.0001
CMG 778	-0.340770859	<.0001
CMG 780	-0.10946623	<.0001
CMG 805	-0.265764458	<.0001
CMG 806	-0.273055913	<.0001
CMG 811	0.054853225	<.0001

Notes

* Charlson score group 1 = Charlson score 1–2 outside Quebec and 2–4 in Quebec; Charlson score group 2 = Charlson score 3 or higher outside Quebec and 5 or higher in Quebec (reference category is Charlson score group 0 = Charlson score 0 outside Quebec and 0–1 in Quebec). For further details on the Charlson Index, please refer to the [General Methodology Notes](#) document. CMGs included in the model are those that account for the top 80% of the total number of readmissions among medical patients.

3 Surgical Patients Readmitted to Hospital

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
Intercept	-3.268794252	<.0001
Age 45 to 64 (vs. 18 to 44)	0.042620423	<.0001
Age 65 to 84 (vs. 18 to 44)	0.220376291	<.0001
Age 85 and older (vs. 18 to 44)	0.380122105	<.0001
Male (vs. female)	0.035441595	<.0001
Urgent admission	0.414171839	<.0001
1 acute care hospitalization in previous 6 months (vs. none)	0.451154618	<.0001
2 or more acute care hospitalizations in previous 6 months (vs. none)	0.940898774	<.0001
Charlson score group 1* (vs. 0)	0.420481023	<.0001
Charlson score group 2* (vs. 0)	0.576075958	<.0001
COVID-19	0.227544143	0.0007
CMG 009	0.558868316	<.0001
CMG 012	-0.311914307	<.0001
CMG 114	-0.1067726	0.0021
CMG 117	0.335424521	<.0001
CMG 121	0.390234407	<.0001
CMG 161	-0.105676942	0.0068
CMG 163	0.722602437	<.0001
CMG 166	0.264576605	<.0001
CMG 170	0.187293911	<.0001
CMG 172	0.117194624	<.0001
CMG 175	-0.052400461	0.0008
CMG 176	-0.186226736	<.0001
CMG 178	0.301998211	<.0001
CMG 179	-0.332981319	<.0001
CMG 181	0.20815657	<.0001
CMG 182	0.555426964	<.0001
CMG 185	0.362807654	<.0001
CMG 187	-0.133660113	<.0001
CMG 189	0.264508571	<.0001
CMG 190	0.606652617	<.0001
CMG 194	0.134333771	0.0006
CMG 221	1.000496022	<.0001
CMG 222	0.296117038	<.0001
CMG 223	0.390096217	<.0001

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
CMG 225	0.392604722	<.0001
CMG 226	0.344513879	<.0001
CMG 227	0.157868856	<.0001
CMG 228	-0.519648457	<.0001
CMG 229	-0.227822338	<.0001
CMG 231	0.611724886	<.0001
CMG 232	0.383479226	<.0001
CMG 233	0.011711254	0.6842
CMG 234	-0.888828337	<.0001
CMG 237	0.41704221	<.0001
CMG 271	0.835768763	<.0001
CMG 274	0.53918063	<.0001
CMG 275	0.511019257	<.0001
CMG 278	-0.241941214	<.0001
CMG 280	0.610467374	<.0001
CMG 281	-0.026410578	0.4064
CMG 282	0.490588375	<.0001
CMG 313	-0.070245234	0.0098
CMG 317	0.098343609	0.0311
CMG 320	-0.489875422	<.0001
CMG 321	-0.658573178	<.0001
CMG 330	-0.19856986	<.0001
CMG 381	0.441747269	<.0001
CMG 382	0.254751328	<.0001
CMG 392	0.068928313	0.145
CMG 422	0.293196087	<.0001
CMG 424	-0.773193006	<.0001
CMG 450	1.252711579	<.0001
CMG 452	1.307119395	<.0001
CMG 454	0.094546985	0.0016
CMG 455	0.37841053	<.0001
CMG 456	0.227749327	<.0001
CMG 458	0.523874682	<.0001
CMG 459	0.037097558	0.2785
CMG 462	-0.095553217	0.0134
CMG 464	0.072620228	0.0005
CMG 501	-0.225465363	<.0001
CMG 502	-0.240015638	<.0001

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
CMG 615	0.51609107	<.0001
CMG 617	0.349134956	<.0001
CMG 618	0.640855626	<.0001
CMG 650	0.522990256	<.0001
CMG 726	-0.249334188	<.0001
CMG 727	-0.365802921	<.0001
CMG 729	-0.703939209	<.0001
CMG 731	-0.004122278	0.9344
CMG 733	0.527029521	<.0001
CMG 734	0.408316045	<.0001
CMG 737	-0.054891964	0.1979
CMG 747	-0.967080563	<.0001
CMG 752	0.397207495	<.0001
CMG 801	0.045882433	0.3053
CMG 805	-0.112471492	0.0009
CMG 806	0.129318206	<.0001
CMG 904	0.58957321	<.0001
CMG 905	0.63396596	<.0001
CMG 906	0.587556168	<.0001
CMG 910	0.537799457	<.0001
CMG 162	0.498792874	<.0001
CMG 610	0.267033177	<.0001

Notes

* Charlson score group 1 = Charlson score 1–2 outside Quebec and 2–4 in Quebec; Charlson score group 2 = Charlson score 3 or higher outside Quebec and 5 or higher in Quebec (reference category is Charlson score group 0 = Charlson score 0 outside Quebec and 0–1 in Quebec). For further details on the Charlson Index, please refer to the [General Methodology Notes](#) document. CMGs included in the model are those that account for the top 80% of the total number of readmissions among surgical patients.

4 Pediatric Patients Readmitted to Hospital

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
Intercept	-3.450752228	<.0001
Age 5 to 9 (vs. 0 to 4)	-0.151598147	<.0001
Age 10 to 14 (vs. 0 to 4)	-0.131460532	<.0001
Age 15 to 17 (vs. 0 to 4)	-0.055923412	0.007
Male (vs. female)	0.001217336	0.9202
Urgent admission	0.488038787	<.0001
1 acute care hospitalization in previous 6 months (vs. none)	0.778689259	<.0001

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
2 or more acute care hospitalizations in previous 6 months (vs. none)	1.586539501	<.0001
CMG 005	1.070662555	<.0001
CMG 009	0.857042999	<.0001
CMG 011	1.059811007	<.0001
CMG 037	0.029906034	0.7927
CMG 039	0.547658918	<.0001
CMG 040	0.290575113	<.0001
CMG 041	0.37179272	<.0001
CMG 042	0.625753251	<.0001
CMG 086	0.21813455	<.0001
CMG 097	0.022630471	0.5926
CMG 101	-0.191297939	0.0926
CMG 102	-0.390195784	<.0001
CMG 103	-0.354761946	0.0004
CMG 104	0.051592583	0.4931
CMG 105	-0.125249245	0.0604
CMG 135	0.861187924	<.0001
CMG 136	0.104151563	0.2057
CMG 138	-0.020168706	0.5762
CMG 141	0.09269186	0.0035
CMG 147	-0.497964053	<.0001
CMG 148	-0.002823314	0.9628
CMG 149	0.465220616	<.0001
CMG 163	0.439317654	<.0001
CMG 202	0.385920749	0.0005
CMG 209	0.60551751	<.0001
CMG 221	1.264062072	<.0001
CMG 233	0.399881776	<.0001
CMG 234	-0.551511041	<.0001
CMG 237	0.599160858	<.0001
CMG 248	0.776385844	<.0001
CMG 249	0.038231727	0.3591
CMG 253	0.570669174	<.0001
CMG 254	0.507706174	<.0001
CMG 255	0.634060146	<.0001
CMG 256	0.437138198	<.0001
CMG 257	0.493990742	<.0001
CMG 258	0.626104725	<.0001

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
CMG 287	0.77179939	<.0001
CMG 288	0.869315827	<.0001
CMG 361	0.587296774	<.0001
CMG 405	-0.42822954	<.0001
CMG 407	-0.226783371	0.008
CMG 432	0.070643886	0.51
CMG 433	0.451247226	<.0001
CMG 435	0.9490517	<.0001
CMG 436	0.59278519	<.0001
CMG 437	-0.402015665	<.0001
CMG 438	0.204560813	0.0211
CMG 454	0.660252317	<.0001
CMG 477	0.466854139	0.0001
CMG 480	0.545997454	<.0001
CMG 487	0.04430113	0.4179
CMG 488	-0.121172296	0.0801
CMG 587	0.484065893	<.0001
CMG 588	0.344503466	<.0001
CMG 589	0.382488666	<.0001
CMG 591	0.132400101	0.1583
CMG 592	0.122922881	0.0997
CMG 594	0.271857266	<.0001
CMG 600	0.429681555	<.0001
CMG 601	0.195793256	<.0001
CMG 602	0.793540063	<.0001
CMG 625	1.575676103	<.0001
CMG 633	0.002207721	0.9677
CMG 634	0.611930114	<.0001
CMG 635	0.218749324	0.0434
CMG 636	0.907686885	<.0001
CMG 637	0.625340368	<.0001
CMG 638	0.513814221	<.0001
CMG 654	0.292244918	0.0039
CMG 660	0.09112271	0.2932
CMG 661	-0.139196939	0.0089
CMG 662	0.081198642	0.1205
CMG 778	-0.607991247	<.0001
CMG 780	0.120932463	0.1711
CMG 782	0.179397951	0.0489

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
CMG 806	0.167172146	0.0229
CMG 811	0.253376216	<.0001
CMG 812	0.094763296	0.2939
CMG 993	-0.184315848	0.0681
CMG 610	0.632375966	<.0001

Note

CMGs included in the model are those that account for the top 80% of the total number of readmissions among patients age 17 and younger.

5 Obstetric Patients Readmitted to Hospital

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
Intercept	-4.401762294	<.0001
Age 24 and younger (vs. 25 to 34)	0.120435456	<.0001
Age 35 and older (vs. 25 to 34)	0.162748228	<.0001
Urgent admission	1.326379014	<.0001
1 acute care hospitalization in previous 6 months (vs. none)	0.587561542	<.0001
2 or more acute care hospitalizations in previous 6 months (vs. none)	1.255740907	<.0001
COVID-19	0.457077983	0.0436

6 Hospital Deaths Following Major Surgery

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA/other codes	Qualifier
Intercept	-7.192172738	<.0001	—	—
Male (vs. female)	0.212628698	<.0001	sex_code = M	—
Age 45 to 64 (vs. 18 to 44)	0.489664721	<.0001	45 ≤ age_years ≤ 64	—
Age 65 to 74 (vs. 18 to 44)	0.891268422	<.0001	65 ≤ age_years ≤ 74	—
Age 75 to 84 (vs. 18 to 44)	1.358581131	<.0001	75 ≤ age_years ≤ 84	—
Age 85+ (vs. 18 to 44)	1.945962373	<.0001	85 ≤ age_years	—
Charlson Index score of 1 or 2 (vs. 0) (modified for Quebec records)*	0.914488146	<.0001	Please refer to General Methodology Notes for details	—
Charlson Index score of 3 or more (vs. 0) (modified for Quebec records)*	1.386129472	<.0001	Please refer to General Methodology Notes for details	—

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA/other codes	Qualifier
Emergent surgery (vs. elective)	1.54748634	<.0001	admission_category_code = U and major surgery within 1 day of admission (same day or next day)	—
Urgent surgery (vs. elective)	1.478226277	<.0001	admission_category_code = U and major surgery not within 1 day of admission (not same day or next day)	—
Transfer patients	0.445099195	<.0001	Patients who are transferred in from another acute institution	—
COVID-19	1.010292531	<.0001	U071, U072	Type (M), (1), (C), (2), (W), (X) or (Y)
CMG 004	2.571666921	<.0001	—	—
CMG 005	2.88390527	<.0001	—	—
CMG 009	1.050906228	<.0001	—	—
CMG 015	2.44045106	<.0001	—	—
CMG 163	2.102541372	<.0001	—	—
CMG 166	0.547515846	<.0001	—	—
CMG 180	1.809447112	<.0001	—	—
CMG 181	1.987564849	<.0001	—	—
CMG 182	1.110949243	<.0001	—	—
CMG 190	1.108274973	<.0001	—	—
CMG 221	1.650845166	<.0001	—	—
CMG 222	1.201205639	<.0001	—	—
CMG 223	0.679112168	<.0001	—	—
CMG 225	1.36923301	<.0001	—	—
CMG 330	0.580152151	<.0001	—	—
CMG 618	1.985206439	<.0001	—	—
CMG 726	0.538351514	<.0001	—	—
CMG 727	0.541461739	<.0001	—	—
CMG 731	0.929730831	<.0001	—	—
CMG 733	2.070007352	<.0001	—	—
CMG 752	2.079212947	<.0001	—	—
CMG 162	0.756828514	<.0001	—	—

Notes

* Charlson score group 1 = Charlson score 1–2 outside Quebec and 2–4 in Quebec; Charlson score group 2 = Charlson score 3 or higher outside Quebec and 5 or higher in Quebec (reference category is Charlson score group 0 = Charlson score 0 outside Quebec and 0–1 in Quebec). For further details on the Charlson Index, please refer to the [General Methodology Notes](#) document.

— Not applicable.

CMGs included in the model are those that account for the top 80% of the total number of deaths among major surgery patients.

7 In-Hospital Sepsis

Risk factor	Children (age 17 and younger)		Adults (age 18 and older)		ICD-10-CA codes or qualifier	
	Regression coefficient	Pr > ChiSq (Wald)	Regression coefficient	Pr > ChiSq (Wald)		
Intercept	-7.680241858	<0.0001	-7.406229643	<0.0001	—	—
Age 1 to 4 (vs. 5 to 9)	0.053031671	0.6996	—	—	—	—
Age 10 to 14 (vs. 5 to 9)	0.264072139	0.0604	—	—	—	—
Age 15 to 17 (vs. 5 to 9)	0.241286399	0.1065	—	—	—	—
Age 30 to 44 (vs. 18 to 29)	—	—	-0.050698926	0.2191	—	—
Age 45 to 59 (vs. 18 to 29)	—	—	0.195975032	<0.0001	—	—
Age 60 to 74 (vs. 18 to 29)	—	—	0.287083037	<0.0001	—	—
Age 75 to 89 (vs. 18 to 29)	—	—	0.198452014	<0.0001	—	—
Age 90 and older (vs. 18 to 29)	—	—	-0.115295223	0.0142	—	—
Male (vs. female)	-0.029896529	0.7566	0.273660725	<0.0001	—	—
Urgent admission	0.115334185	0.2844	0.70238129	<0.0001	—	—
Modified Charlson score group 1* (vs. 0)	1.204725795	<0.0001	0.75387311	<0.0001	Please refer to General Methodology Notes for details	
Modified Charlson score group 2* (vs. 0)	1.340202703	<0.0001	1.291799697	<0.0001	Please refer to General Methodology Notes for details	
Immunocompromised states [†] (Quebec records)	1.611805902	<0.0001	0.58195517	<0.0001	ICD-10-CA codes: B24, B485, B59, D47.1, D70.—, D71, D72.0, D80.— to D86.—, D89.8, D89.9, E40 to E43, K91.2, N18.—, O98.7—, T86.—, Y83.0, Z49.—, Z94.0 to Z94.4, Z94.8—, Z94.9, Z99.2 CCI codes: 1.GJ.85.^, 1.GR.85.^, 1.GT.85.^, 1.HY.85.^, 1.HZ.85.^, 1.LZ.19. HH-U7-A, 1.LZ.19. HH-U7-J, 1.LZ.19.HH-U8-A, 1.LZ.19.HH-U8-J, 1.NK.85.^, 1.NP.85.^, 1.OA.85.^, 1.OB.85.^, 1.OJ.85.^, 1.OK.85.^, 1.PC.85.^, 1.WY.19.^	For ICD-10-CA codes: Type (M), (1), (C), (2), (9) or [(W), (X) or (Y) but not (2)]
Immunocompromised states [†] (non-Quebec records)	2.36238703	<0.0001	1.497100563	<0.0001		

Risk factor	Children (age 17 and younger)		Adults (age 18 and older)		ICD-10-CA codes or qualifier
	Regression coefficient	Pr > ChiSq (Wald)	Regression coefficient	Pr > ChiSq (Wald)	
Surgical patients	1.583965264	<0.0001	1.172098605	<0.0001	Major clinical category partition code = I (intervention)
COVID-19	—	—	1.618691844	<0.0001	ICD-10-CA codes: U07.1, U07.2 Type (M), (1), (C), (2), (W), (X) or (Y)

Notes

* Modified Charlson score group 1 = modified Charlson score 1–2 outside Quebec and 2–4 in Quebec; modified Charlson score group 2 = modified Charlson score 3 or higher outside Quebec and 5 or higher in Quebec (reference category is modified Charlson score group 0 = modified Charlson score 0 outside Quebec and 0–1 in Quebec). For further details on the modified Charlson Index, please refer to the [General Methodology Notes](#) document.

† Based on the list of codes developed by the Agency for Healthcare Research and Quality (AHRQ) and Organisation for Economic Co-operation and Development (OECD) for patient safety indicators. This risk factor has 2 coefficients — 1 for the data submitted by Quebec and 1 for all other jurisdictions. Quebec-specific coefficients were included in the model to address differences in data collection.

— Not applicable.

8 Obstetric Trauma (With Instrument)

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA/other codes	Qualifier
Intercept	-1.513622206	<0.0001	—	—
Age 19 and younger (vs. 25 to 29)	-0.656780312	<0.0001	age_years ≤ 19	—
Age 20 to 24 (vs. 25 to 29)	-0.315673426	<0.0001	20 ≤ age_years ≤ 24	—
Age 30 to 34 (vs. 25 to 29)	-0.016976951	0.3948	30 ≤ age_years ≤ 34	—
Age 35 to 39 (vs. 25 to 29)	-0.219489229	<0.0001	35 ≤ age_years ≤ 39	—
Age 40 and older (vs. 25 to 29)	-0.333198571	<0.0001	age_years ≥ 40	—
Malposition/malpresentation of the fetus	0.104175336	<0.0001	O32.001, O32.201, O32.301, O32.401, O32.501, O32.601, O32.801, O32.901, O64.001, O64.201, O64.301, O64.401, O64.501, O64.801, O64.901	Type (M), (1), (C), (2), (W), (X) or (Y)
Gestational age at delivery ≥41 weeks	0.198087076	<0.0001	Gestational age at delivery >40 completed weeks	—
Diabetes (pre-existing/gestational)	0.11654186	<0.0001	O24.501, O24.601, O24.701, O24.801	Type (M), (1), (C), (2), (W), (X) or (Y)
Fetal heart rate anomaly/asphyxia during labour and delivery	-0.019719846	0.2902	O68.001, O68.201, O68.301	Type (M), (1), (C), (2), (W), (X) or (Y)
Shoulder dystocia	0.134990415	<0.0001	O66.001	Type (M), (1), (C), (2), (W), (X) or (Y)
Prolonged second-stage labour	0.278736733	<0.0001	O63.101	Type (M), (1), (C), (2), (W), (X) or (Y)
Large fetus	0.319552805	<0.0001	If newborn weight ≥4,000 g (requires mom/newborn linkage)	—

Note

— Not applicable.

9 Obstetric Trauma: Vaginal Delivery Without Instrument

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA/other codes	Qualifier
Intercept	-3.277168475	<0.0001	—	—
Age 19 and younger (vs. 25 to 29)	-0.327017861	<0.0001	—	—
Age 20 to 24 (vs. 25 to 29)	-0.266844917	<0.0001	—	—
Age 30 to 34 (vs. 25 to 29)	-0.07808334	<0.0001	—	—
Age 35 to 39 (vs. 25 to 29)	-0.326539802	<0.0001	—	—
Age 40 and older (vs. 25 to 29)	-0.67554015	<0.0001	—	—
Malpresentation/ malpresentation of the fetus	0.262553905	<0.0001	O32.001, O32.201, O32.301, O32.401, O32.501, O32.601, O32.801, O32.901, O64.001, O64.201, O64.301, O64.401, O64.501, O64.801, O64.901	Type (M), (1), (C), (2), (W), (X) or (Y)
Large fetus	0.343953415	<0.0001	Newborn weight ≥4,000 g (requires mom/newborn linkage)	—
Gestational age at delivery ≥41 weeks	0.30912314	<0.0001	Gestational age at delivery >40 completed weeks	—
Diabetes (pre-existing/ gestational)	0.084195999	0.0001	O24.501, O24.601, O24.701, O24.801	Type (M), (1), (C), (2), (W), (X) or (Y)
Fetal heart rate anomaly/asphyxia during labour and delivery	0.327796188	<0.0001	O68.001, O68.201, O68.301	Type (M), (1), (C), (2), (W), (X) or (Y)
Shoulder dystocia	0.46789547	<0.0001	O66.001	Type (M), (1), (C), (2), (W), (X) or (Y)
Prolonged second-stage labour	0.744366056	<0.0001	O63.101	Type (M), (1), (C), (2), (W), (X) or (Y)

Note

— Not applicable.

10 Low-Risk Caesarean Sections

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA/ other codes	Qualifier
Intercept	-1.703169934	<0.0001	—	—
Age 19 and younger (vs. 25 to 29)	-0.710364241	<0.0001	age_years ≤ 19	—
Age 20 to 24 (vs. 25 to 29)	-0.214817216	<0.0001	20 ≤ age_years ≤ 24	—
Age 30 to 34 (vs. 25 to 29)	0.213065275	<0.0001	30 ≤ age_years ≤ 34	—
Age 35 to 39 (vs. 25 to 29)	0.504232243	<0.0001	35 ≤ age_years ≤ 39	—
Age 40 and older (vs. 25 to 29)	0.726899952	<0.0001	age_years ≥ 40	—

Note

— Not applicable.

11 Repeat Hospital Stays for Mental Health and Substance Use

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes; DSM-IV codes
Intercept	-2.029219993	<0.0001	—
Male (vs. female)	-0.041877254	<0.0001	—
Age 0 to 14 (vs. 25 to 44)	-0.614707817	<0.0001	—
Age 15 to 17 (vs. 25 to 44)	-0.151867012	<0.0001	—
Age 18 to 24 (vs. 25 to 44)	-0.134169102	<0.0001	—
Age 45 to 64 (vs. 25 to 44)	-0.168223861	<0.0001	—
Age 65 and older (vs. 25 to 44)	-0.624429674	<0.0001	—
Discharged against medical advice	0.183222058	<0.0001	—
Substance abuse–related disorder (vs. mood disorders)	0.424644836	<0.0001	Refer to the Methodology Notes for details
Schizophrenia (vs. mood disorders)	0.650444398	<0.0001	Refer to the Methodology Notes for details
Anxiety disorder (vs. mood disorders)	-0.442157093	<0.0001	Refer to the Methodology Notes for details
Personality disorder (vs. mood disorders)	0.820313226	<0.0001	Refer to the Methodology Notes for details
Other disorder (vs. mood disorders)	-0.351923296	<0.0001	—
Psychiatric hospital (vs. general hospital)	0.102883177	<0.0001	—

Note

— Not applicable.

12 30-Day Readmission for Mental Health and Substance Use

Mental illness category	Risk factor	Regression coefficient	Pr > ChiSq (Wald)
Substance abuse–related disorder (Refer to the Methodology Notes for details.)	Intercept	-2.174638757	<0.0001
	Male (vs. female)	0.050632	0.0022
	Age 0 to 14 (vs. 25 to 44)	-0.465272799	0.0043
	Age 15 to 17 (vs. 25 to 44)	-0.23804373	0.0002
	Age 18 to 24 (vs. 25 to 44)	0.098592386	0.0001
	Age 45 to 64 (vs. 25 to 44)	-0.15218745	<0.0001
	Age 65 and older (vs. 25 to 44)	-0.469527086	<0.0001
	2 or more previous admissions for any mental illness during the past 12 months	1.294474342	<0.0001
	Discharged against medical advice	0.567601897	<0.0001
	Psychiatric hospital (vs. general hospital)	-0.350725439	<0.0001
Schizophrenia (Refer to the Methodology Notes for details.)	Intercept	-1.8843839	<0.0001
	Male (vs. female)	0.010198482	0.5509
	Age 0 to 14 (vs. 25 to 44)	-0.054317937	0.6924
	Age 15 to 17 (vs. 25 to 44)	-0.045848738	0.4575
	Age 18 to 24 (vs. 25 to 44)	0.086653072	0.0001
	Age 45 to 64 (vs. 25 to 44)	-0.245917348	<0.0001
	Age 65 and older (vs. 25 to 44)	-0.569440587	<0.0001
	2 or more previous admissions for any mental illness during the past 12 months	0.81021782	<0.0001
	Discharged against medical advice	1.075679959	<0.0001
	Psychiatric hospital (vs. general hospital)	-0.222197783	<0.0001
Mood disorders (Refer to the Methodology Notes for details.)	Intercept	-2.100467333	<0.0001
	Male (vs. female)	0.013037053	0.4547
	Age 0 to 14 (vs. 25 to 44)	-0.195047695	<0.0001
	Age 15 to 17 (vs. 25 to 44)	-0.368237276	<0.0001
	Age 18 to 24 (vs. 25 to 44)	-0.121513558	<0.0001
	Age 45 to 64 (vs. 25 to 44)	-0.173624026	<0.0001
	Age 65 and older (vs. 25 to 44)	-0.350390162	<0.0001
	2 or more previous admissions for any mental illness during the past 12 months	1.105548086	<0.0001
	Discharged against medical advice	0.777382597	<0.0001
	Psychiatric hospital (vs. general hospital)	-0.124974709	<0.0001

Mental illness category	Risk factor	Regression coefficient	Pr > ChiSq (Wald)
Anxiety disorder (Refer to the Methodology Notes for details.)	Intercept	-2.15835167	<0.0001
	Male (vs. female)	-0.046558185	0.3263
	Age 0 to 14 (vs. 25 to 44)	-0.160266789	0.0500
	Age 15 to 17 (vs. 25 to 44)	-0.341630704	<0.0001
	Age 18 to 24 (vs. 25 to 44)	-0.294638347	0.0001
	Age 45 to 64 (vs. 25 to 44)	-0.038976075	0.5532
	Age 65 and older (vs. 25 to 44)	-0.286435652	0.0001
	2 or more previous admissions for any mental illness during the past 12 months	1.312865151	<0.0001
	Discharged against medical advice	0.783600402	<0.0001
	Psychiatric hospital (vs. general hospital)	-0.221078336	0.0239
Personality disorder (Refer to the Methodology Notes for details.)	Intercept	-1.863538137	<0.0001
	Male (vs. female)	-0.277263085	<0.0001
	Age 0 to 14 (vs. 25 to 44)	-0.262242036	0.0267
	Age 15 to 17 (vs. 25 to 44)	-0.476852497	<0.0001
	Age 18 to 24 (vs. 25 to 44)	-0.047829292	0.1560
	Age 45 to 64 (vs. 25 to 44)	-0.221339434	<0.0001
	Age 65 and older (vs. 25 to 44)	-0.4964295	<0.0001
	2 or more previous admissions for any mental illness during the past 12 months	1.521754366	<0.0001
	Discharged against medical advice	0.443687912	<0.0001
	Psychiatric hospital (vs. general hospital)	-0.171198182	<0.0001
Other disorder (Refer to the Methodology Notes for details.)	Intercept	-2.528040027	<0.0001
	Male (vs. female)	-0.105665479	<0.0001
	Age 0 to 14 (vs. 25 to 44)	-0.281723099	<0.0001
	Age 15 to 17 (vs. 25 to 44)	-0.024346345	0.5045
	Age 18 to 24 (vs. 25 to 44)	0.011795229	0.7347
	Age 45 to 64 (vs. 25 to 44)	-0.110385265	0.0021
	Age 65 and older (vs. 25 to 44)	-0.501877251	<0.0001
	2 or more previous admissions for any mental illness during the past 12 months	1.61523223	<0.0001
	Discharged against medical advice	0.735806099	<0.0001
	Psychiatric hospital (vs. general hospital)	-0.121917572	0.0034

Note

— Not applicable.

13 30-Day Acute Myocardial Infarction (AMI) In-Hospital Mortality

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes	Qualifier
Intercept	-4.449043643	<0.0001	—	—
Male (vs. female)	-0.099625495	<0.0001	—	—
Age 18 to 44 (vs. 45 to 64)	-0.699564719	<0.0001	—	—
Age 65 to 74 (vs. 45 to 64)	0.738992797	<0.0001	—	—
Age 75 to 84 (vs. 45 to 64)	1.448709334	<0.0001	—	—
Age 85 and older (vs. 45 to 64)	2.224054509	<0.0001	—	—
Charlson Index score of 1 or 2 (vs. 0) (modified for Quebec records)*	0.382838951	<0.0001	Please refer to General Methodology Notes for details	
Charlson Index score of 3 or more (vs. 0) (modified for Quebec records)*	0.715291376	<0.0001	Please refer to General Methodology Notes for details	
Shock	2.626816284	<0.0001	R57	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Any diabetes	-0.095546226	0.0026	E10, E11, E13, E14	Type (1), (C), (3) or [(W), (X) or (Y) but not (2)]
Heart failure (non-Quebec records)*	0.196953383	0.0000	I50	Type (1) or [(W), (X) or (Y) but not (2)]
Heart failure (Quebec records)*	0.205353612	0.0001	I50	Type (C) or [(W), (X) or (Y) but not (2)]
Cancer (non-Quebec records)*	0.404464188	0.0004	C00–C97	Type (1) or [(W), (X) or (Y) but not (2)]
Cancer (Quebec records)*	0.137915246	0.0961	C00–C97	Type (C) or [(W), (X) or (Y) but not (2)]
Cerebrovascular disease (non-Quebec records)*	0.981998726	0.0000	I60, I61, I62, I63, I64, I65, I66, I67, I69, G45	Type (1) or [(W), (X) or (Y) but not (2)]
Cerebrovascular disease (Quebec records)*	0.193489598	0.0514	I60, I61, I62, I63, I64, I65, I66, I67, I69, G45	Type (C) or [(W), (X) or (Y) but not (2)]
Renal failure (non-Quebec records)*	0.843499378	<0.0001	N17, N18, N19	Type (1) or [(W), (X) or (Y) but not (2)]
Renal failure (Quebec records)*	0.444352754	<0.0001	N17, N18, N19	Type (C) or [(W), (X) or (Y) but not (2)]
Pneumonia	0.557181232	<0.0001	J12–J16, J18	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Cardiac arrest	2.347075946	<0.0001	I460, I469	Type (1), (C) or [(W), (X) or (Y) but not (2)]

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes	Qualifier
STEMI	0.230190096	0.0000	R9430	Type (1), (C) or [(W), (X) or (Y) but not (2)]
COVID-19	0.810289741	0.0000	U071, U072	Type (M), (1), (C), (2), (W), (X) or (Y)

Notes

* This risk factor has 2 coefficients — 1 for the data submitted by Quebec and 1 for all other jurisdictions. Quebec-specific coefficients were included in the model to address differences in data collection.

— Not applicable.

14 30-Day Stroke In-Hospital Mortality

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes	Qualifier
Intercept	-2.423927054	<0.0001	—	—
Male (vs. female)	-0.02168539	0.2728	—	—
Age 18 to 44 (vs. 75 to 84)	-1.069762703	<0.0001	—	—
Age 45 to 64 (vs. 75 to 84)	-0.663015174	<0.0001	—	—
Age 65 to 74 (vs. 75 to 84)	-0.371769196	<0.0001	—	—
Age 85 and older (vs. 75 to 84)	0.536539171	<0.0001	—	—
Heart failure	0.537301425	<0.0001	I50	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Cancer	0.694628322	<0.0001	C00–C97	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Renal failure (non-Quebec records)*	0.436351224	<0.0001	N17, N18, N19	Type (1) or [(W), (X) or (Y) but not (2)]
Renal failure (Quebec records)*	0.278725413	<0.0001	N17, N18, N19	Type (C) or [(W), (X) or (Y) but not (2)]
Ischemic heart disease (acute)	0.769242453	<0.0001	I20, I21, I22, I24	Type (1) or [(W), (X) or (Y) but not (2)]
Intracerebral hemorrhage (vs. ischemic stroke)	1.548841044	<0.0001	I61, I62.9 (applies only to years prior to 2015–2016)	Refer to the Methodology Notes for details
Stroke, not specified as hemorrhage or infarction (vs. ischemic stroke)	0.351646239	<0.0001	I64	Refer to the Methodology Notes for details
Subarachnoid hemorrhage (vs. ischemic stroke)	1.375963437	<0.0001	I60	Refer to the Methodology Notes for details
Venous sinus/cortical vein thrombosis (vs. ischemic stroke)	-0.430861982	0.0605	I63.6, I67.6, G08	Refer to the Methodology Notes for details
COVID-19	0.287338562	0.0318	U07.1, U07.2	Type (M), (1), (C), (2), (W), (X) or (Y)

Notes

* This risk factor has 2 coefficients — 1 for the data submitted by Quebec and 1 for all other jurisdictions. Quebec-specific coefficients were included in the model to address differences in data collection.

— Not applicable.

15 30-Day Acute Myocardial Infarction Readmission

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes	Qualifier
Intercept	-2.872763873	<0.0001	—	—
Male (vs. female)	-0.127786392	<0.0001	—	—
Age 18 to 44 (vs. 45 to 64)	-0.158823529	0.0138	—	—
Age 65 to 74 (vs. 45 to 64)	0.283295334	<0.0001	—	—
Age 75 to 84 (vs. 45 to 64)	0.518533413	<0.0001	—	—
Age 85 and older (vs. 45 to 64)	0.748299943	<0.0001	—	—
Charlson Index score of 1 or 2 (vs. 0) (modified for Quebec records)*	0.31426097	<0.0001	Please refer to General Methodology Notes for details	
Charlson Index score of 3 or more (vs. 0) (modified for Quebec records)*	0.475426548	<0.0001	Please refer to General Methodology Notes for details	
1 acute care hospitalization in previous 6 months (vs. none)	0.7288375	<0.0001	—	—
COPD	0.205380432	<0.0001	J41, J42, J43, J44, J47	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Renal failure	0.355235361	<0.0001	N17, N18, N19	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Any diabetes	0.141100257	<0.0001	E10, E11, E13, E14	Type (1), (C), (3) or [(W), (X) or (Y) but not (2)]
Heart failure	0.236694356	<0.0001	I50	Type (C) or [(W), (X) or (Y) but not (2)]
Dementia	-0.103352909	0.0860	F01, F02, F03, F051, G30, G311	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Cancer	0.217909489	0.0002	C00–C97	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Arrhythmia	0.187254983	<0.0001	I47, I48, I49	Type (1), (C) or [(W), (X) or (Y) but not (2)]
Shock	0.341776122	<0.0001	R57	Type (1), (C) or [(W), (X) or (Y) but not (2)]
STEMI	0.056366046	0.0860	R9430	Type (1), (C) or [(W), (X) or (Y) but not (2)]

Note

— Not applicable.

16 High Users of Hospital Beds

Risk factor	Regression coefficient	Pr > ChiSq (Wald)
Intercept	-4.055083906	<0.0001
Age 25 to 49 (vs. 18 to 24)	0.217177052	<0.0001
Age 50 to 64 (vs. 18 to 24)	0.589621811	<0.0001
Age 65 and older (vs. 18 to 24)	0.89669014	<0.0001
Male (vs. female)	0.040619089	<0.0001
Urgent admission	0.739832881	<0.0001
Mental illness (vs. medical)*	0.536429053	<0.0001
Obstetric (vs. medical)*	-3.300506002	<0.0001
Palliative care (vs. medical)*	0.851597113	<0.0001
Surgical (vs. medical)*	-0.728578554	<0.0001

Note

* Refer to the [Methodology Notes](#) for details.

17 Frequent Emergency Room Visits for Help With Mental Health and Substance Use

Coefficients were developed based on 3 years of pooled data (2019–2020 to 2021–2022).

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes
Intercept	-1.6566	<0.0001	—
Male (vs. female)	-0.0693	<0.0001	—
Age 0 to 24 (vs. 25 to 44)	-0.4546	<0.0001	—
Age 45 to 64 (vs. 25 to 44)	-0.1578	<0.0001	—
Age 65 to 84 (vs. 25 to 44)	-0.6637	<0.0001	—
Age 85 and older (vs. 25 to 44)	-1.5945	<0.0001	—
Schizophrenia (vs. substance abuse–related disorders)	0.2198	<0.0001	Refer to the Indicator library page for details
Mood disorder (vs. substance abuse–related disorders)	-0.6748	<0.0001	Refer to the Indicator library page for details
Anxiety disorder (vs. substance abuse–related disorders)	-1.1710	<0.0001	Refer to the Indicator library page for details
Personality disorder (vs. substance abuse–related disorders)	0.3092	<0.0001	Refer to the Indicator library page for details
Other disorder (vs. substance abuse–related disorders)	-0.6014	<0.0001	Refer to the Indicator library page for details
Discharged against medical advice	0.3049	<0.0001	—

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes
Urgent care centre (vs. emergency centre)	-0.2627	<0.0001	—
Mental health centre (vs. emergency centre)	0.4669	<0.0001	—
COVID-19	1.2674	<0.0001	U071, U072

Note

— Not applicable.

18 New Long-Term Care Residents Who Potentially Could Have Been Cared for at Home

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes
Intercept	-2.1706	<0.0001	—
Female (vs. male)	0.00801	0.6695	—
Age 65 and older (vs. younger than 65)	-0.1738	<0.0001	—
Lived alone (vs. did not live alone)	0.8279	<0.0001	—
Lived alone (vs. unknown or not valid)	0.3688	<0.0001	—
Schizophrenia	0.3606	<0.0001	—
Manic depressive	0.2697	<0.0001	—

Note

— Not applicable.

19 Caregiver Distress

Coefficients are developed each year based on most recent available data year.

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes
Intercept	-0.3791	<0.0001	—
Activities of Daily Living Self-Performance Hierarchy Scale (ADL Hierarchy) (0 vs. 1)	0.00681	0.4530	—
Activities of Daily Living Self-Performance Hierarchy Scale (ADL Hierarchy) (0 vs. 2)	0.3477	<0.0001	—

Risk factor	Regression coefficient	Pr > ChiSq (Wald)	ICD-10-CA codes
Activities of Daily Living Self-Performance Hierarchy Scale (ADL Hierarchy) (0 vs. 3)	0.3461	<0.0001	—
Cognitive Performance Scale (CPS) (0 vs. 1)	-0.1253	<0.0001	—
Cognitive Performance Scale (CPS) (0 vs. 2)	0.5832	<0.0001	—
Cognitive Performance Scale (CPS) (0 vs. 3)	0.4800	<0.0001	—
Changes in Health, End-Stage Disease and Signs and Symptoms (CHESS) (0 vs. 1)	-0.3055	<0.0001	—
Changes in Health, End-Stage Disease and Signs and Symptoms (CHESS) (0 vs. 2)	0.2798	<0.0001	—
Changes in Health, End-Stage Disease and Signs and Symptoms (CHESS) (0 vs. 3)	0.8696	<0.0001	—



CIHI Ottawa

495 Richmond Road
Suite 600
Ottawa, Ont.
K2A 4H6
613-241-7860

CIHI Toronto

4110 Yonge Street
Suite 300
Toronto, Ont.
M2P 2B7
416-481-2002

CIHI Victoria

880 Douglas Street
Suite 600
Victoria, B.C.
V8W 2B7
250-220-4100

CIHI Montréal

1010 Sherbrooke Street West
Suite 511
Montréal, Que.
H3A 2R7
514-842-2226

cihi.ca

57286-0824

